



SIMPLE AND SECURE
COUPLING MECHANISM
Makes witching attachments
quick and easy

ADJUSTABLE LIDOP HANDLE
For comfortable use

MULTI-TOOL POWER HEAD

With a powerful and smooth high-efficiency brushless
motor, it's lightweight, perfectly balanced and ready for

any job, big or small

PH1400E







	PH1400E
MOTORTYPE	Brushless
SPEED CONTROL	Variable speed
DRIVE SHAFT MATERIAL	7mm solid steel
DRIVETUBETYPE	Aluminium
COUPLING MECHANISM	Tool-free quick change
WEIGHT	2.7kg
TOTAL LENGTH	97cm

TWO-SPEED RANGE SELECTOR Works with the variable speed trigger to select the correct

VARIABLE SPEED TRIGGER With safety lock-off POWERFUL REAR Mounted motor

Provides the power for all FGO Power* attachments

SOLID STEEL DRIVE SHAFT

Robust and very strong

	HTA2000	(01)		PSA1000	(02)		BCA1200	(03)		EA0800	(04)	
WEIGHT	2.7kg			1.9kg			1.8kg			2.3kg	2.3kg	
TOTAL LENGTH	160cm/	99cm fold	led	142cm			102cm			92cm		
BARRIER BAR	Yes (wit	h power h	ead)	Yes (wit	h power h	nead)	Yes (wit	h power h	nead)	Yes (wit	h power h	nead)
	BATTER	Y SIZE		BATTER	Y SIZE		BATTER	Y SIZE		BATTER	Y SIZE	
	2.0Ah	5.0Ah	7.5Ah	2.0Ah	5.0Ah	7.5Ah	2.0Ah	5.0Ah	7.5Ah	2.0Ah	5.0Ah	7.5Ah
RUNTIME*	Up to 28 mins	Up to 82 mins	Up to 122 mins	Up to 56 cuts	Up to 140 cuts	Up to 210 cuts	Up to 23 mins	Up to 60 mins	Up to 95 mins	Up to 25 mins	Up to 60 mins	Up to 100 mins
BLADE LENGTH	51cm			-			-			20cm		
CUTTING DEPTH	-		-			-	-		Up to 7	Up to 75mm		
BLADETHICKNESS	-		-			-	-		3mm	3mm		
DEBRIS GUARD MATERIAL	-	-		-			-	-		Alumini	ium with i	ubber skirt
CUTTING WIDTH	-			-			30cm	30cm		-		
LINE DIAMETER	-			-			-		-	-		
CUTTING HEAD	-			-			-		-	-		
SHAFTTYPE	-			-	-			-				
ARBOUR SIZE	-			-			25.4mm	25.4mm		25.4mn	25.4mm	
CUTTING CAPACITY	26mm			-			-	-		-	-	
BLADE MATERIAL AND TYPE	Double- steel bla	-sided lase ide	er cut	-				Three-sided reversible steel blade		-	-	
FIXED CUTTING ANGLES	12 articu	ılating cut	ting angles	-			-			-		
GUIDE BAR LENGTH	-			25cm			-			-		
CHAIN PITCH / GAUGE	-			3/8", 1.1	mm		-			-		
MAX. CUTTING DIAMETER	-			200mm			-			-		
OIL TANK CAPACITY	-			220ml			-			-		

 4 Run time may vary and depend on the battery used, charge level of battery, condition of grass or hedge and user's operation technique.

HTA2000 Hedge trimmer attachment

Laser cut, diamond ground blades and simple angle adjustment make this trimmer as precise as it is powerful



BCA1200 Brush Cutter Attachment

Tough enough to take on anything, the reversible three-sided metal blade makes short work of any overgrown area



PSA1000 Pole saw attachment

25cm guide bar and chain make cutting branches fast and efficient



EA0800 EDGER ATTACHMENT

With quick depth adjustment and handy guide, this attachment makes achieving a perfect edge easy

04



EP7501 Extension pole

Nothing is out of reach with this strong yet lightweight extension pole. Just click in the attachment you need and off you go





BE READY FOR ANYTHING WITH EGO POWER⁺ MULTI-TOOL KITS









EGO POWER* LINE TRIMMERS & BRUSH CUTTERS

The perfect combination of power, balance and comfort, our line trimmers and brush cutter cut every job down to size

CONSTANT SPEED CONTROL ENSURES CONSISTENT TRIMMING





ARC LITHIUM 56V

ST1211E 30cm Line Trimmer

Single speed, 30cm cutting swathe with bump head line feed and easy line replacement



ST1500E-F 38cm Line Trimmer

Variable speed, large 38cm cutting swathe with bump head line feed and rapid reload line replacement



	ST1210E / ST1211E			ST1500E-F			
CUTTING WIDTH	30cm			38cm	38cm		
TOTAL LENGTH	178cm			186cm			
RUNTIME*	BATTERY SI	ZE		BATTERY SI	ZE		
	2.0Ah	4.0Ah	7.5Ah	2.0Ah	5.0Ah	7.5Ah	
	Up to 35 mins	Up to 70 mins	Up to 135 mins	Up to 45 mins	Up to 110 mins	Up to 160 mins	
COPPED COLUMNS	Constant s	peed		Constant s	peed		
SPEED CONTROL	Single spee	d		Variable speed			
NO LOAD SPEEDS	7,000rpm			4,000-5,800rpm			
SOFT-START	Yes	Yes			Yes		
LINE DIAMETER	2.0mm			2.4mm			
LINE FEED	Bump feed	head		Rapid reload bump feed head			
DUAL LINE	Yes			Yes			
ROTATING DIRECTION	Clockwise			Clockwise			
AUXILIARY HANDLE	Loop and o	uick-adjust		Loop and quick-adjust			
HARNESS	N/A			Single shoulder (harness supplied)			
WEIGHT WITHOUT BATTERY	2.8kg			3.2kg			
VIBRATION (M/S ²)	3.3 / 4.9			2.2 / 1.7			
MOTORTYPE	Brushed	Brushed					
NOISE RATING	75LpA 91LwA	'					
AVAILABLE AS A KIT: ST1211E	Includes 2.0 standard ch	Ah battery harger	and	-			

NO PETROL. JUST LOTS AND LOTS OF POWER



Powered by the 56V Arc Lithium battery, the E60 Power* line trimmers give you all the power you need to tackle the toughest jobs. The quick-adjust handle offers optimum balance and control and the large cutting swathe cuts any task down to size. Plus the soft-start function and constant speed control ensures consistent trimming every time.

ther features include cutting speed selection, easy line replacement and twin line trimming for faster cutting and lower vibration.

BC1500E-F 38cm Line Trimmer

Variable speed, large 38cm cutting swathe with bump head line feed and easy line replacement





BC3800E Brush Cutter

The reversible three-sided blade and brushless motor has the power to clear virtually any ground. Can be used as either a brush cutter or line trimmer





	BC1500E-F				
CUTTING WIDTH	38cm				
TOTAL LENGTH	186cm				
RUNTIME*	BATTERY SIZE				
	4.0Ah	5.0Ah	7.5Ah		
	Up to 45 mins	Up to 110 mins	Up to 160 mins		
SPEED CONTROL	Constant variable speed				
LINE DIAMETER	2.4mm				
LINE FEED	Rapid reload bump feed head				
ROTATING DIRECTION	Clockwise				
WEIGHT WITHOUT BATTERY	3.8kg				
VIBRATION (M/S²)	4.3/2.9				
MOTORTYPE	Brushless				
NOISE RATING	70 LpA 86 LwA				

	BC3800E			
CUTTING WIDTH				
- Three-sided blade	30cm			
- Line trimmer head	38cm			
TOTAL LENGTH	186cm			
RUN TIME*	BATTERY S	IZE		
	4.0Ah	6.0Ah	7.5Ah	
	Up to 30 mins	Up to 50 mins	Up to 65 mins	
BLADE MATERIAL	Three-side	Three-sided reversible steel blade		
SPEED CONTROL	Constant v	ariable speed		
LINE DIAMETER	2.4mm			
LINE FEED	Rapid reloa	nd bump feed	head	
ROTATING DIRECTION	Anti clocky	vise		
WEIGHT WITHOUT BATTERY				
-Three-sided blade	4.5kg			
– Line trimmer head	4.4kg			
MOTORTYPE	Brushless			





Power and comfort, combined

Light, comfortable and ergonomic, the EGO Power⁴ backpack harness is the most comfortable way to enjoy the industry-leading power. It works with all our batteries and by carrying the battery in the backpack instead of the tool, the weight is distributed evenly.

CH5500E

RAPID CHARGER

The same

EGO POWER⁺

Our unique patented 56V Arc Lithium technology is designed like no other battery. It's why it performs like no other battery

Designed from the ground up to deliver petrol-matching performance, the EGO Power⁺ 56V Arc Lithium battery has an innovative design to maximise battery cooling. Unlike conventional brickshaped batteries where the cells are packed together, overheat and shut down, our unique Arc design dissinates heat more effectively.

EGO Power+ 56V Arc Lithium battery

BA1120E 2.OAH BATTERY 112WH. 1P

BA2240E 4.OAH BATTERY 224WH, 2P

BA2800 5.OAH BATTERY 280WH. 2P

BA3360 **6.0AH BATTERY** BA4200 7.5AH BATTERY 420WH. 3P











BH1000 BACKPACK HARNESS

Compatible with every tool, including our new commercial range, our new harness and adapter means any EGO Power+ battery can be used to power all our tools

	BH1000
CONNECTION METHOD	Quick plug-in and out for EGO Power ⁺ commercial tools. Adapter ADB1000 for all other EGO Power ⁺ tools
CARRYING HANDLE	Yes
HIP PAD FOR BRUSH CUTTER	Quick attach (optional)
UPRIGHT STAND STORAGE	Yes
WEIGHT WITHOUT BATTERY	2.2kg
AVAILABLE AS A KIT: BH1001	Includes ADB1000 adapter
	ADB1000 ADAPTER
QUICK PLUG-IN AND OUT	Yes
COUNTERWEIGHT ADJUSTMENT	No
RUBBER MOULD PROTECTION	Yes
WEIGHT	0.6kg



and extends battery life

LED CHARGING / DIAGNOSTICS INDICATOR

Displays battery level and recharge status

UNIQUE DUAL FAN-COOLED CHARGING SYSTEM Battery starts charging sooner and finishes faster



CH2100E

STANDARD CHARGER

CHARGING SYSTEM

charging can start earlier

LED CHARGING/ DIAGNOSTICS INDICATOR Constant feedback on battery status and recharge levels





EGO POWER* MOWERS



With a range of cutting capacities, powerful variable speed motors and self-propelled models, tackle any size lawn with ease

VARIABLE SPEED SELF-PROPELLED MOTOR KEEPS YOU IN CONTROL AS YOU CUT







LM2001E 49cm MOWER

Featuring 2 adjustable handle heights, a 49cm cutting capacity and 60L collection bag



LM2122E-SP 52cm SELF-PROPELLED MOWER

Self-propelled mower with a 52cm cutting capacity, brushless motor and 70L collection bag







CUTS LIKE A PETROL MOWER. JUST CUTS OUT THE PETROL



	LM2001E			LM2122	E-SP		
CUTTING CAPACITY	49cm			52cm			
SELF-PROPELLED SPEED	No			0.6-1.4	m/s (2.2-5	.0km/h)	
CUTTING DECK MATERIAL	Poly			Poly			
RUNTIME*	BATTERY	SIZE		BATTE	RY SIZE		
	2.0Ah	4.0Ah	7.5Ah	2.0Ah	6.0Ah	7.5 A h	
	N/A	Up to 45 mins	Up to 75 mins	N/A	Up to 40 mins	Up to 50 mins	
CUTTING SPEED CONTROL	Constant speed			Automatic Variable Speed**			
NO LOAD SPEED	3,300rpm			2,800rpm			
CUT HEIGHT SETTINGS	25/35/50/65/80mm			28/38/52/64/80/94mm			
HANDLE HEIGHTS	Two - use	er adjustab	ole	Three - user adjustable			
REAR COLLECTION	60L			70L			
FUNCTIONS	Mulching	g and colle	ct	Mulching and collect			
NOISE RATING	84LpA			84LpA			
INOISE RATING	94LwA			98LwA			
VIBRATION (M/S ²)	1.2			1.0			
VERTICAL STORAGE	Yes			Yes			
WEIGHT WITHOUT BATTERY	26kg			28kg			
MOTOR TYPE	Brushed			Brushle	ess		
	4.0ah rc			7.5ah r	с		
AVAILABLE AS A KIT	4.0Ah ba	4.0Ah battery & rapid charger			oattery & r	apid charger	

*Run time may vary and depend on the battery used, charge level of battery, condition of grass, and user's operation technique. **Automatic Variable Speed delivers optimal cutting speed battery run time whilst maintaining grass cutting performance. 'Nit includes liphilighted battery and rapid charger.





EGO POWER⁺ HEDGE TRIMMERS


light, yet powerful, our next generation of cordless hedge trimmers give you all the comfort and control you need to get the job done

DIAMOND GROUND LASER CUT BLADES FOR PRECISE CLEAN CUTS











Rotating rear handle



Powered by the petrol-matching 56V Arc Lithium battery, a single charge delivers such impressive run times that you'll be amazed at how much hedge vou can cut.

The well-balanced design also has a number of clever features to make using for long periods of time more comfortable. The rotating handle and dual trigger system provide enhanced user comfort and safety. While the smooth and quiet brushless motor and gearbox give you all the power you need, without the vibration, fumes and noise of a petrol engine.

HT2401E 61cm HEDGE TRIMMER

Single speed 61cm blade length, 22mm blade gap with single knife-edge cutting action











HT6500E 65cm HEDGE TRIMMER

Two-speed 65cm blade length, 33mm blade gap with double-sided knife-edge cutting action and rotating rear handle for comfort and control

















	HT2401E			HT6500E				
BLADE LENGTH	61cm			65cm	65cm			
BLADE GAP	22mm			33mm				
BLADE TOOTH DEPTH	17mm			20mm				
RUNTIME*	BATTERY SI	ZE		BATTERY SI	ZE			
	2.0Ah	4.0Ah	7.5Ah	2.0Ah	5.0Ah	7.5Ah		
	Up to 60 mins	Up to 120 mins	Up to 225 mins	Up to 30 mins	Up to 75 mins	Up to 113 mins		
SPEED CONTROL	Single speed			Two-speed	Two-speed			
NO LOAD SPEEDS	2,600spm			2,800/3,200spm				
BLADETYPE	Laser cut; d	Laser cut; diamond ground			Laser cut; diamond ground			
CUTTING ACTION	Dual action blade	; single-side	d cutting	Dual action; double-sided cutting blade				
BLADE TIP PROTECTOR	Yes			Yes				
SOUND PRESSURE	83LpA			80LpA				
(LpA)	94LwA			93LwA				
ROTATING HANDLE	No			45° and 90° left and right				
WEIGHT WITHOUT BATTERY	3.0kg	3.0kg			3.8kg			
MOTORTYPE	Brushless			Brushless				
VIBRATION (M/S ²)	2.0/1.5			4.5/5.1				
AVAILABLE AS A KIT: CS1401E	charger	Ah battery an		-				

^{*}Run time may vary and depend on the battery used, charge level of battery, condition of hedge and user's operation technique. [†]Available on selected models.





EGO POWER⁺ Chain saws

Built for the toughest jobs, powered by our 56V Arc Lithium battery technology, nothing gets in their way

TOOL-FREE CHAIN TENSIONING AND DURABLE BAR AND CHAIN













IT CUTS, CUTS AND CUTS SOME MORE





Featuring a 35cm bar length and 12.0m/s chain speed













CS1600E

chain speed

40cm CHAIN SAW



Featuring a 40cm bar length and 13.5m/s











	CS1401E			CS1600E				
BLADE LENGTH	35cm			40cm	40cm			
CHAIN SPEED	12.0m/s			13.5m/s				
RUN TIME*	BATTERY SIZE			BATTERY SIZE				
	2.0Ah	4.0Ah	7.5Ah	2.0Ah	5.0Ah	7.5Ah		
	Up to 100 cuts	Up to 300 cuts	Up to 450 cuts	Up to 100 cuts	Up to 300 cuts	Up to 450 cuts		
CHAIN BAR	AG1400			AG1600	AG1600			
CHAINTYPE	AC1400 (90PX - 3	AC1400 (90PX - 3/8" x 1.1mm)			AC1600 (90PX - 3/8" x 1.1mm)			
OIL RESERVOIR	150ml			150ml				
CHAIN OIL	Automatic			Automatic				
CHAIN BRAKE	Yes			Yes				
NOISE RATING	86LpA			85LpA				
NOISE RATING	100LwA			99LwA				
VIBRATION (M/S2)	5.4/4.1			3.0/3.2				
CHAINTENSIONING	Tool free			Tool free				
WEIGHT WITHOUT BATTERY	3.7kg	3.7kg			3.9kg			
MOTORTYPE	Brushless			Brushless				
AVAILABLE AS A KIT: CS1401E	Includes 2.0Ah ba	attery and standard	d charger	-				

*Run time may vary and depend on the battery used, charge level of battery and user's operation technique. Based on 100mm x 100mm cuts.









BLOWS PETROL-POWERED BLOWERS OUT OF THE WATER

Powered by a high-efficiency brushless motor, the EGO Power* blowers feature jet turbine technology and large diameter tube to give maximum airflow. With a variable speed function designed to keep you in control, selected models also feature a Turbo Boost mode, delivering extra power for those hard to move objects. More than most handheld petrol blowers on the market. That's more than enough power to clear up even the biggest windfall.

LB6000E Backpack blower

The hugely powerful, yet ergonomic design is easy to use and packed with all the features you need









LB4801BIE Blower

Variable speed setting, large blower tube, up to 810m³/h output in Turbo Boost mode









LB5750E Blower

Variable speed thumb selector for added airflow control with single handed use, more than 977m³/h output in High mode









2	39			AU.
200		-	A	1
	199 P			
			UK.	30





		LB6000E				
	RUN TIME ^{**} WITH 5Ah BATTERY	120 mins	22 mins	15 mins		
	AIR VOLUME (M³/H)	440	850	1020		
\	AIR SPEED (KM/H)	80	160	192		
1	FORCE (N)	19				
	MOTORTYPE	Brushless				
	NOISE RATING	83LpA 97LwA				
	VIBRATION (M/S²)	1.5				

	LB4801E			LB5750E				
CONSTANT SPEED	Yes			Yes				
RUNTIME*								
LOW SPEED	Up to 60 mins	Up to 150 mins	Up to 225 mins	_	Up to 150 mins	Up to 225 mins		
HIGH SPEED	Up to 18 mins	Up to 45 mins	Up to 70 mins	_	Up to 18 mins	Up to 25 mins		
BOOST	Up to 10 mins	Up to 25 mins	Up to 35 mins	-	-	_		
	Low	High	Boost	Low	High	Boost		
AIR VOLUME (M³/H)	420	650	810	440	977	-		
AIR SPEED (KM/H)	72	120	148	80	212	-		
FORCE (N)	-	-	13	-	18	-		
SPEED SETTING	Variable speed	d with boost		Variable trigger with lock-on				
WEIGHT WITHOUT BATTERY	2.3kg			2.2kg				
MOTORTYPE	Brushless			Brushless				
NOISE RATING	82LpA			83LpA				
NOISENATING	97LwA			95LwA				
VIBRATION (M/S²)	1.1	1.1			1.4			
AVAILABLE AS A KIT: LB4801E	Includes 2.0Al charger	battery and st	andard	-				